

CURVED SOLAR ROOF TILE





Double-glass three-arch curved Solar roof tile.

Modelling:	Three-arc curved surface
Structure:	Curved ultra -white glass + film + curve d glass
Auxiliary materials:	Edge-protection and EPDM tape
Size:	721*500*14mm (W*H*D)
Square meter content:	3 pieces/square meter
Power:	30 watts per pcs
Power per square meter:	90 watts
Open circuit voltage:	10.6 V
Short circuit current:	4 A
Working voltage:	8.6 V
Working current:	3.5 A
Single piece weight:	6.5 Kg

CURVED SOLAR TILES

Power your home with hidden PV solar panels.

When conventional solar panels were first being placed on residential rooftops, the world imagined a quick solution for the ongoing energy crisis. But there was a problem: those big flat panels did not match the architectural style of the houses they had to be placed on.

Few people wanted to upset the aesthetics of their roofing just to save a bit on their energy bill in the long term. A solar roof tile on the other hand simply looks like a roof and is highly efficient.

Do solar roof tiles generate as much energy as conventional solar panels?

The solar roof tile not only respects the design of the structure it is placed upon, but it also generates more energy than conventional PV panels.

Since the integrated PV surface is curved by nature, sunlight will always reach the roof tiles at an optimal angle. Using next-generation power optimization and monitoring technologies, energy yields are substantially higher than that of conventional PV panels. Due to the integrated smart electronics, shading issues are a problem of the past.

By integrating this advanced PV system in traditional ceramic, the roof tile truly merges the best of modern technology with the classic.

Solar roof tiles higher energy yield	Higher energy yield than conventional systems
Solar roof tile shadowing effects-	No negative shadowing effects
Solar roof tile smart monitoring-	Smart monitoring of individual tiles
Solar roof tile obstacle-free installation-	Flexible and obstacle-free installation
Solar roof tile seamless integration	Seamless integration in traditional roof
Solar roof tiles are sustainable	Lower environmental impact than conventional PV systems

Smart grid & individual monitoring

The performance of the entire system can be monitored through a user-friendly app. Every desired system size is possible. Since solar roof tile can both replace and augment current roof tile models, the product is very easy to install.

Installation is compatible with current roofing procedures and can be carried out by traditional roofers. Having only one party responsible for the installation and repair of the entire roof improves service while lowering installation costs.

Through the smart use of a generic electrical framework that can easily be implemented in different roof tile models, a suitable solution is offered for every architectural style.



Detail of a double-glass three-arch curved Solar roof tile.



An example of a house roof filled with curved Solar roof tiles.